


Placa Base MSI X99A SLI KRAIT E ATX LGA201 USB 3.1



Si eres un apasionado de la informática y la electrónica, te gusta estar a la última en tecnología y no perderte detalle, compra Placa Base MSI X99A SLI KRAIT E ATX LGA201 USB 3.1 al mejor...

Calificación: Sin calificación

Precio

Precio con descuento 239,81 €

Precio de venta 290,17 €

Precio de venta sin impuestos 239,81 €

24 h



[Haga una pregunta sobre este producto](#)

Descripción Si eres un apasionado de la **informática y la electrónica**, te gusta estar a la última en tecnología y no perderte detalle, compra **Placa Base MSI X99A SLI KRAIT E ATX LGA201 USB 3.1** al mejor precio.

Marca

MSI

Modelo

X99A SLI KRAIT EDITION

Plataforma

(911-7885-027)

- Formato ATX

Chipset

(30.5 cm x 24.4 cm)

- Intel® X99 Express Chipset

CPU

- Soporta nuevos procesadores Intel® Core™ i7

Soportados Memoria	<p>Processor Extreme Edition for LGA2011-3 Socket.</p> <ul style="list-style-type: none"> - DDR4 DIMMs 2133(OC)/2400(OC)/2600(OC)/2666(OC)/2750(OC)/3000(OC)/3110(OC)/3333(OC) MHz, hasta 128GB Max.
Slots Expansión	<ul style="list-style-type: none"> - Soporta Quad-Channel - Soporta non-ECC, un-buffered memory - 4 x PCIe 3.0 x16 slots, Soporta up to 3-way mode <ul style="list-style-type: none"> 1-way mode: x16/ x0/ x0/ x0 2-way mode: x16/ x16/ x0/ x0*, 16/ x8/ x0/ x0** 3-way mode: x16/ x16/ x0/ x8*, x8/ x8/ x8/ x0** * Para CPU que soporte 40 líneas PCIe ** Para CPU que soporte 28 PCIe lanes
Gráficos	<ul style="list-style-type: none"> - Soporte Multi-GPU - Soporta 3-Way NVIDIA® SLI™ Technology - Soporta 3-Way AMD® CrossFire™ Technology* *Soportado en Windows 7 y Windows 8/ 8.1
Puertos E/S Conectores	<p>Internos</p> <ul style="list-style-type: none"> - 1 x 24-pin ATX - 1 x 8-pin ATX 12V - 1 x 4-pin ATX 12V - 2 x USB 2.0 - 2 x USB 3.0 - 2 x 4-pin CPU fan - 3 x 4-pin system fan - 1 x Clear CMOS jumper - 1 x Front panel audio - 2 x System panel - 1 x TPM module - 1 x Chassis Intrusion - 1 x GO2BIOS button - 1 x Power button - 1 x Reset button - 1 x OC Genie button - 1 x Multi-BIOS switch - 1 x OC Genie mode switch - 1 x Slow mode booting switch - 1 x Slow mode booting jumper - 10 x SATA 6Gb/s connectors <p>Traseros</p> <ul style="list-style-type: none"> - 1 x PS/2 - 2 x USB 2.0 - 1 x Clear CMOS button - 6 x USB 3.0 - 2 x USB 3.1 - 1 x LAN (RJ45) - 1 x Optical S/PDIF OUT - 5 x OFC audio jacks <p>On-Board SATA</p> <ul style="list-style-type: none"> - Intel® X99 Express Chipset - 10 x SATA 6Gb/s ports (2x ports reserved for SATA Express port) - SATA1~6 support RAID 0, RAID 1, RAID 5 and RAID 10 - SATA7~10 ports only support IDE mode and AHCI mode. - Supports Intel® Smart Response Technology (Windows 7/ 8/ 8.1) - 1 x SATA Express port*
Otras Características	

- 1 x M.2 port, supports M.2 SATA 6Gb/s module*
 - or M.2 PCIe module up to 32Gb/s speed
- M.2 port supports 4.2cm/ 6cm/8cm length module
- M.2 PCIe module does not support RAID 0, RAID1,

RAID 5 and RAID 10.

USB

- Intel X99 Express Chipset
 - 6 x USB 3.0 ports (2 ports on the back panel,
 - 4 ports available through the internal USB 3.0
- connectors*)
- 6 x USB 2.0 ports (2 ports on the back panel,
 - 4 ports available through the internal USB

2.0 connectors)

- ASMedia ASM1142
- 2 x USB 3.1 ports on the back panel
- VIA VL805
- 4 x USB 3.0 ports on the back panel

Audio

- Realtek® ALC1150 Codec
- 7.1-Channel High Definition Audio
- Supports S/PDIF output

LAN

- 1 x Intel I210-AT Gigabit LAN
- 22-04-2015 por MSB

Fecha Revisión

Comentarios

Aún no hay comentarios para este producto.