

Placa Base MSI Z270 PC MATE ATX LGA1151



Si eres un apasionado de la informática y la electrónica, te gusta estar a la última en tecnología y no perderte detalle, compra Placa Base MSI Z270 PC MATE ATX LGA1151 al mejor...

Calificación: Sin calificación

Precio

Precio con descuento 104,66 €

Precio de venta 126,64 €

Precio de venta sin impuestos 104,66 €

24 h

[Haga una pregunta sobre este producto](#)

Descripción Si eres un apasionado de la **informática y la electrónica**, te gusta estar a la última en tecnología y no perderte detalle, compra **Placa Base MSI Z270 PC MATE ATX LGA1151** al mejor precio.

Marca

msi

Modelo

Z270 PC MATE
(911-7A72-001)

Plataforma

- ATX (30.4 cm x 24.3 cm)

Chipset

- Intel® Z270 Chipset

CPU

- Soporta 6th/ 7th Gen Intel® Core™ i3/i5/i7, Intel® Pentium® y Celeron® procesadores para Socket **LGA1151**

Soportados

Memoria

- 4 x DDR4 memory slots, soporta hasta 64GB
- 7th Gen procesadores soporta DDR4 3800(OC)/ 3600(OC)/ 3200(OC)/ 3000(OC)/ 2800(OC)/ 2600(OC)/ 2400/ 2133 MHz*
- 6th Gen procesadores soporta DDR4 3600(OC)/ 3200(OC)/

	3000(OC)/ 2800(OC)/ 2600(OC)/ 2400(OC)/ 2133 MHz*
Slots Expansión	- Dual channel memory architecture - Soporta Intel® Extreme Memory Profile (XMP) - 2 x PCIe 3.0 x16 slots (soportas x16/x4 mode) - 3 x PCIe 3.0 x1 slots - 1 x PCI slot
Gráficos	- 1 x HDMI™, 4096x2160@30Hz(7th CPU), 4096x2160@24Hz(6th CPU), 2560x1600@60Hz - 1 x DVI-D, 1920x1200@60Hz - 1 x VGA, 2048x1536@50Hz, 2048x1280@60Hz, 1920x1200@60Hz
Puertos E/S,	Multi-GPU - soportas 2-Way AMD® CrossFire™ Technology
Conectores	Internos - 1 x 24-pin ATX main power - 1 x 8-pin ATX 12V power - 6 x SATA 6Gb/s - 2 x USB 2.0 - 2 x USB 3.1 Gen1 - 1 x 4-pin CPU fan - 1 x 4-pin water pump fan - 4 x 4-pin system fan - 1 x Front panel audio - 2 x Front panel - 1 x TPM module - 1 x Chassis Intrusion - 1 x Puerto serie - 1 x Puerto paralelo - 1 x TBT connector - 1 x Clear CMOS jumper
	Externos - 1 x PS/2 Teclado y ratón combo - 2 x USB 2.0 Type-A - 1 x VGA - 1 x DVI-D - 1 x HDMI™ - 1 x LAN (RJ45) - 4 x USB 3.1 Gen1 Type-A - 1 x USB 3.1 Gen2 Type-A - 1 x USB 3.1 Gen2 Type-C - 3 x audio jacks
Otras	Almacenamiento - 6 x SATA 6Gb/s ports - 2 x M.2 slots (Key M) - soporta hasta PCIe 3.0 x4 and SATA 6Gb/s - soporta PCIe 3.0 x4 NVMe U.2 SSD with Turbo U.2 Host Card - M2_1 slot soportas 2242/ 2260 /2280/ 22110 storage devices - M2_2 slot soportas 2242/ 2260 /2280 storage devices - Intel® Optane™ Memory Ready
Características	Red - 1 x Intel® I219-V Gigabit LAN controller
	Audio - Realtek® ALC887 Codec - 7.1-Channel High Definition Audio
	Puertos USB - 1 x USB 3.1 Gen2 f- 1 x USB 3.1 Gen2 - 8 x USB 3.1 Gen1 - 6 x USB 2.0
Fecha Revisión	Montaje - 9 mounting holes 09-01-2017 por MSB

Comentarios

Aún no hay comentarios para este producto.